

SAFETY DATA SHEET

HA30

Page 1

Issued: 11/03/09

Revision No: 2

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

Product name: HA30

Company name: Howlett Associates Water Treatment Ltd

Park House 1st Floor

1-4 Park Terrace

Worcester Park

Surrey

KT4 7JZ

Tel: 02083 373516

Fax: 02032 771015

Email: info@hawtl.co.uk

2. HAZARDS IDENTIFICATION

Main hazards: Contact with acids liberates toxic gas. Causes burns.

Workplace exposure limit: This substance does not have a workplace exposure limit.

PBT: This substance is not identified as a PBT substance.

Directive 1999/45/EC: This preparation meets the criteria for classification as dangerous in accordance with Directive 1999/45/EC.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous ingredients: SODIUM HYPOCHLORITE SOLUTION CL ACTIVE 1-10%

EINECS: 231-668-3 CAS: 7681-52-9

[-] R31; [C] R34; [N] R50

Contains: Hypochlorite solution with surfactant/wetting agent.

4. FIRST AID MEASURES

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Transfer to hospital if there are burns or symptoms of poisoning.

Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination.

Ingestion: Do not induce vomiting. Give 1 cup of water to drink every 10 minutes. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as possible.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. If

[cont...]

conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as possible.

5. FIRE-FIGHTING MEASURES

Extinguishing media: Carbon dioxide.

Exposure hazards: Corrosive. In combustion emits toxic fumes.

Protection of fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Refer to section 8 of SDS for personal protection details.

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

Clean-up procedures: Transfer to a suitable container. Wash down the drain with large amounts of water.

7. HANDLING AND STORAGE

Handling requirements: Ensure there is sufficient ventilation of the area. Avoid direct contact with the substance.

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.

Hand protection: Protective gloves.

Eye protection: Safety goggles. Face-shield. Ensure eye bath is to hand.

Skin protection: Protective clothing with elasticated cuffs and closed neck. Boots made of PVC. PVC apron covering the tops of the boots. Ensure safety shower is to hand.

9. PHYSICAL AND CHEMICAL PROPERTIES

State: Liquid

Colour: Yellow-green

Odour: Characteristic odour

Solubility in water: Soluble

Viscosity: Non-viscous

Relative density: 1.12-1.15

pH: 10-12

10. STABILITY AND REACTIVITY

Stability: Stable under normal conditions.

Conditions to avoid: Heat.

SAFETY DATA SHEET

HA30

Materials to avoid: Acids. Amines.

Haz. decomp. products: Contact with acids liberates toxic gas.

11. TOXICOLOGICAL INFORMATION

Acute effects: Causes burns.

11. TOXICOLOGICAL INFORMATION (SYMPTOMS)

Skin contact: There may be irritation and redness at the site of contact. Severe burns may occur.

Eye contact: There may be irritation and redness. There may be severe pain. Corneal burns may occur.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur. There may be vomiting. Blood may be vomited.

Inhalation: There may be coughing and a sore throat. There may be congestion of the lungs causing severe shortness of breath. There may be loss of consciousness.

12. ECOLOGICAL INFORMATION

PBT identification: This substance is not identified as a PBT substance.

13. DISPOSAL CONSIDERATIONS

Disposal operations: Disposal should be carried out by licenced contractors.

Disposal of packaging: Containers must be disposed of in a safe way.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

14. TRANSPORT INFORMATION

ADR / RID

UN no: 1791

ADR Class: 8

Shipping name: HYPOCHLORITE SOLUTION

Labelling: 8

Hazard ID no: 80



IMDG / IMO

UN no: 1791

Class: 8

Packing group: III

EmS: 8-08

Marine pollutant: NO

Labelling: 8

IATA / ICAO

UN no: 1791	Class: 8
Packing group: III	Packing instructions: 821
Labelling: 8	

15. REGULATORY INFORMATION

Hazard symbols: Corrosive.



Risk phrases: R31: Contact with acids liberates toxic gas.

R34: Causes burns.

Safety phrases: S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S28: After contact with skin, wash immediately with plenty of ...

S36/37/39: Wear suitable protective clothing, gloves and eye / face protection.

S45: In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

Note: The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

16. OTHER INFORMATION

Other information: This safety data sheet is prepared in accordance with Regulation (EC) No 1907/2006.

* indicates text in the SDS which has changed since the last revision.

Risk phrases used in s.3: R31: Contact with acids liberates toxic gas.

R34: Causes burns.

R50: Very toxic to aquatic organisms.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.