

SAFETY DATA SHEET

HA58

Page 1

Issued: 18/08/05

Revision No: 1

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

Product name: HA58

Use / description of product: Cleaning and degreasing formulation. Irritant. Liquid.

Company name: Howlett Associates Water Treatment Ltd

Challenge House

Mitcham Road

Croydon

CR0 3AA

Tel: 020 82398865

Fax: 020 86836460

2. COMPOSITION / INFORMATION ON INGREDIENTS

Ingredients: PRIMARY ALCOHOL ETHOXYLATE 0.3-10%

- POLYCARBOXYLIC ACID 0.3-10%
[Xi] R36/38;
- QUATERNARY AMINE ETHOXYLATE 0.3-10%
[Xi] R36; [N] R51/53;

Contains: Nonionic and Amphoteric surfactants and sanitisers.

3. HAZARDS IDENTIFICATION

Main hazards: Irritating to eyes.

4. FIRST AID MEASURES (SYMPTOMS)

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: Nausea and stomach pain may occur. There may be vomiting.

Inhalation: Nausea and stomach pain may occur. There may be vomiting. Drowsiness or mental confusion may occur.

4. FIRST AID MEASURES (ACTION)

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Transfer to hospital if there are burns or symptoms of poisoning.

Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination.

Ingestion: Do not induce vomiting. If conscious, give 1 pint of water to drink immediately. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as possible.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as possible.

[cont...]

5. FIRE-FIGHTING MEASURES

Extinguishing media: Carbon dioxide.

Exposure hazards: In combustion emits toxic fumes.

Protection of fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Mark out the contaminated area with signs and prevent access to unauthorised personnel.
Turn leaking containers leak-side up to prevent the escape of liquid.

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method. Wash the spillage site with large amounts of water.

7. HANDLING AND STORAGE

Handling requirements: Ensure there is sufficient ventilation of the area. Avoid direct contact with the substance.

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: No specific recommendations, but respiratory protection may be required under exceptional circumstances.

Hand protection: Protective gloves.

Eye protection: Safety goggles.

Skin protection: Protective clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

State: Liquid

Colour: Pale yellow

Odour: Perceptible odour

Oxidising: Non-oxidising (by EC criteria)

Solubility in water: Soluble

Viscosity: Non-viscous

Relative density: 1.09-1.12

pH: 10-11

10. STABILITY AND REACTIVITY

Stability: Stable under normal conditions.

11. TOXICOLOGICAL INFORMATION

Ingredients: PRIMARY ALCOHOL ETHOXYLATE

IHL RAT LC50 >5 mg/kg

ORL RAT LD50 >200<2000 mg/kg

SKN RBT LD50 >2000 mg/kg

- QUATERNARY AMINE ETHOXYLATE
IVN RAT LD50 >2000 mg/kg

12. ECOLOGICAL INFORMATION

Ingredients: QUATERNARY AMINE ETHOXYLATE
Toxicity DAPHNIA 48H EC50 10-100 mg/l
Toxicity FISH 96H LC50 1-10 mg/l

Mobility: Soluble in water.

Other adverse effects: Do not allow concentrated product to enter rivers or water courses.

13. DISPOSAL CONSIDERATIONS

Disposal operations: Disposal should be carried out by licenced contractors.

Disposal of packaging: Containers must be disposed of in a safe way.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

14. TRANSPORT INFORMATION

ADR / RID

IMDG / IMO

IATA / ICAO

15. REGULATORY INFORMATION

Hazard symbols: Irritant.



Risk phrases: R36: Irritating to eyes.

Safety phrases: S2: Keep out of the reach of children.

S24/25: Avoid contact with skin and eyes.

S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S45: In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

Note: The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

16. ADDITIONAL INFORMATION

Risk phrases used in s.2: R36/38: Irritating to eyes and skin.

R36: Irritating to eyes.

R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.